



High-tech woven flooring

Your responsible choice in flooring. High-tech, high design.





^{o7} — Aesthetics & technology united

Find out how our refined high-tech woven flooring fits your everyday needs in performance and acoustics, while presenting a great look and feel.

Sustainably produced — 23

Learn how we care for our planet by investing in more sustainable and durable products, eco-conscious production processes and a circular future.

35 — Sector solutions

Our vast library of products allows you to design any kind of environment: from a productive workspace, to a hospitable hotel lobby.

Timeless collections — 69

Discover our collections: a wide range of designs and patterns, available in an abundance of colours.

123 — Rugs

Beautiful textures to create inviting spaces.

Installation & technical info — 129

Learn all about the high-tech performance of our refined woven flooring and practical benefits when installing

--- Samples & tools

Don't hesitate: order your samples, contact us or visualise your upcoming project with our digital simulator.






What drives us to create



Katia DewitteManaging Director 2TEC2

"2TEC2 is a brand that continuously strives for **innovation** in terms of technology and **sustainability**. The 'TEC' in our name refers to our ambition to make a difference in the flooring world with a high-tech product for architects, for people and for the planet.

We invest heavily in the development of new materials, improved product design and a fully circular process. Sustainable entrepreneurship is our duty as a company in the years to come. We strongly believe that **design** can go hand in hand with **respect for the environment**. Aesthetics are at the heart of 2TEC2, it's our DNA. Our flooring is completely designed and produced in Belgium, guaranteeing total control and premium quality. Our personal and family-oriented nature, our passion for textures and our appreciation for craftsmanship form the basis of our business philosophy."



Aesthetics & technology united

Refined aesthetics — 08

High tech, high performance — 10

Excellent acoustics — 14

Cleanability — 16

Health & hygiene — 18

Safety compliance — 20

Refined aesthetics



UNIQUE DESIGNS

Natural elements are the inspiration for our designs. Nature is always in balance, its appealing aesthetics never fade. This is what we strive for: to achieve natural beauty and balance indoors.


- → We keep up with the newest trends in interior design.
- → We provide timeless flooring that never goes out of style.
- → We create our own colours and thus provide a wide range of original shades.




ENDLESS DESIGN CREATIVITY

Our flooring is standard available in tiles, planks or rolls. You can also discover the fun and unique shapes of our Play concept on p.120. For important projects, you can create your own design and colour.

Our standard sizes:








ZONING

Flooring is the perfect way to visually and functionally define different zones in bigger spaces. By using different colours from our wide range of shades, you can easily create several areas serving different purposes.



Product Helios & Neptune tiles - Infinite collection **Installation pattern** Ashlar







STRUCTURE & TEXTURE

The woven top layer has a textured look and feel. Its 3D jacquard weave is very attractive.



COLOUR CHANGE

With our flooring, you can create a unique design effect. It offers a change of colour, depending on the installation and point of view.



SEAMLESS

Nearly all our designs are seamless in an ashlar or brick installation pattern. This means you are not able to see the seams between the tiles. This creates a broadloom effect.



DIRT CONCEALING

Our designs can visually conceal dirt or stains, because we play with design, colour, and texture. Your floor can be thoroughly cleaned with every cleaning round.



High tech, high performance





BEST OF BOTH WORLDS

We offer the durability and cleanability of hard flooring combined with the acoustic properties and comfort of soft flooring.



CLASS 33 HEAVY COMMERCIAL USE*

2TEC2 floors are ideal for the project market: they are suited for high traffic levels, castor chair tested, and shockproof. Thanks to their long life span, we are confident to offer a guarantee of 15 years. (*) According to EN1307.





Base coat layer

⑤ Acoustic felt layer SonoFelt™

UV RESISTANCE & COLOUR FASTNESS

Our floors retain their colours when exposed to UV radiation and heavy foot traffic. This is because our yarns are UV-resistant and coloured to their core.



LIGHT REFLECTION VALUE (LRV)

LRV is a score that indicates how much a surface reflects light. Thanks to our wide range of values, you can brighten up a room or prevent overexposure. A document with all values is available for you at your request.



DIMENSIONAL STABILITY

Our strong build-up of layers and our tight weave with yarns with a fibreglass core guarantee a high dimensional stability. This results in minimal shrinkage or expansion when exposed to changes in temperature or humidity.



UNDERFOOT WALKING COMFORT

The underlayer of floorings has an important impact on walking comfort and how knees, feet, and back are affected by steps. 2TEC2's felt underlayer provides extra comfort.



QUALITY CONTROL

All our products are quality and performance tested in external certified labs to get the necessary certificates. We also invested heavily in our own laboratory in order to perform daily in-house testing and to deliver the best quality.



EASY INSTALLATION

2TEC2 floors allow a hassle-free installation, they require little preparation and tools.



NON-PERMANENT INSTALLATION

Our tiles are installed with a tackifier adhesive. This makes them stay in place, yet easy to remove and replace when necessary or even reuse in another space.



RAISED FLOORING SYSTEM

2TEC2 is the perfect choice for raised flooring systems, keeping easy access to technical installations beneath the floor.



FLOOR HEATING

Our floors are suitable for underfloor heating or cooling, allowing installations to perform as they should.







Excellent acoustics

WHAT HAPPENS WHEN SOUND WAVES COLLIDE WITH A SURFACE

When a sound collides with a surface, it can go three ways:

① it can be **echoed** back

- 14

② it can be absorbed by the surface

3 it can go through the surface

Your choice of flooring has an impact on what happens and thus defines your level of **acoustic comfort**.

اارا SonoFelt™

Our acoustic comfort backing SonoFelt™ provides maximum acoustic wellbeing.



10 WALKING NOISE REDUCTION

This concerns sound waves which are echoed back in the room.

'Walking noise reduction' is the difference in noise level when walking on laminate compared to walking on 2TEC2 floor covering.



2 Absorbed noise







2 ACOUSTICAL SOUND ABSORPTION

This applies to the absorbed noise in a room.

'Acoustical sound absorption' is the level of absorption of sound waves in a room. When a sound wave hits a surface, a portion of that wave is reflected, a part is absorbed. The better the absorption of a sound wave, the less reverberation.

2TEC2 absorbs 15% (0,15 α w) of the sound waves that hit the floor.










3 IMPACT SOUND REDUCTION

This metric refers to the level by which sound waves are transmitted through the floor into the room beneath.

'Impact sound reduction' is the difference in noise levels as measured in the room beneath the floor when walking on a concrete floor compared to walking on a 2TEC2 floor.

 \rightarrow 2TEC2's 19 dB SonoFelt $^{\rm TM}$ acoustic backing reduces the sound coming from the room above by 19 dB.

Cleanability





DUST RESISTANT MESH

Our top layer traps dust and dirt, allowing for effective cleaning with a vacuum cleaner and water.



WATERPROOF

Our floors are not affected by moist conditions. They offer ease of use for spas and gyms or healthcare environments.





EASY MAINTENANCE

Our floors can be easily cleaned with just water, there is no need for hazardous chemical cleaning products. They are also stain-resistant. Since they do not absorb any liquids, stains are easy to remove.



For optimal maintenance, we refer to our general cleaning instructions.

When 2TEC2 is placed at an entrance, a walk-off mat is recommended. Entrance matting prevents soiling and accelerated wear.

GENERAL CLEANING INSTRUCTIONS

- Vacuum your floor regulary
 to avoid dirt buildup and to decrease
 attraction of dust.
- Remove dirt, stains and liquids by simply using water and a sponge without any additives within 24 hours.
 - Diluted detergent or bleach may be used for persistent stains.
- Perform a deep cleaning at least once a year to elongate the life of your floor and keep it as beautiful as it was intended.
- Use a water injection/extraction device.
 Steam cleaning appliances are not recommended.





Health & hygiene



ANTI-ALLERGENIC PROPERTIES

The structure of our flooring keeps dust particles from floating around, so they cannot affect your health. Most of all, unlike a regular carpet, they can be easily vacuumed and removed. We don't use materials that can cause an allergic reaction.





ANTI-FUNGAL PROPERTIES

Our floors obtained the best score in specialised tests. This certifies that 2TEC2 floors do not allow fungi to grow, which makes them an ideal solution for moist environments.








SUITABLE FOR DISINFECTION

Our floors are resistant to disinfectants, a necessity in healthcare environments. The yarn's colour intensity is not affected, even after years of maintenance.




NO HARMFUL VOLATILE ORGANIC COMPOUND EMISSIONS (VOC'S)

2TEC2 flooring ensures a safe and healthy environment without indoor air pollution. Our floors are Indoor Air Comfort Gold and FloorScore certified, meaning they release no harmful VOCs.









Safety compliance



REACTION TO FIRE

All our floors are fire-retardant. 2TEC2 features a **Bfl-s1 classification**, the most strict fire class for textile floor covering.



ANTI-STATIC PROPERTIES

Walking on plastic or carpeted floors creates friction that can make you electrically charged. Thanks to our anti-static additives, we prevent this from happening.



20



21 -





ANTI-SLIP PROPERTIES

Our floors have **anti-slip properties**, which minimises the risk of falling. This makes us an excellent option for healthcare environments and public spaces.






NO DANGEROUS SUBSTANCES

Our flooring contains **no dangerous substances** like **phthalates** and heavy metals. We are REACH compliant and M1 certified.





Sustainably produced

2TEC2 is devoted to designing and producing recyclable woven flooring. We aim for the highest sustainability performance, while preserving and protecting the world beneath our feet.

- Care for our planet & environment 24
 - Care for people & health 25
 - Bio-based materials 26
 - Circularity & recyclability 27
 - Our new recycling facility 28
- Our journey towards a circular future 30
 - Compliance & certifications 32

Care for our planet & environment

STRATEGIES FOR RESPONSIBLE PRODUCTION

Decrease our CO₂ emissions
 Reduce our use of (non-renewable)
 fossil raw materials

Citcularity & ecolomos Compliance Compliance

Compliant with sustainability standards, certificates and labels

THE 3 C'S

Our sustainability pillars and our vision are centred around care, circularity and compliance.

INTEGRATED PRODUCTION

We avoid harmful CO₂ emissions of multiple transports to and from suppliers of raw or semifinished materials by integrating all of our production operations and activities on one site.

SOLAR POWER

We avoid 820 tons of greenhouse gas emissions per year, thanks to 3.154 photovoltaic panels on our buildings that capture a massive quantity of solar power to reintroduce in our production.



OPTIMISED CLOSED CIRCUIT ENERGY RE-USE

We have a heat recovery system that re-uses already present energy and a closed water cooling system to minimise water use.

ENERGY STORAGE

We increase our use of renewable energy even more through a battery energy storage system (BESS) at our own premises. This enormous battery stores the excess solar power produced by our photovoltaic panels.





Care for people & health

NO PHTHALATES NOR HEAVY METALS

2TEC2 complies with the most strict norms in its field, to make sure our customers are not exposed to hazardous chemicals. Our floor tiles, planks and rolls do not contain any phthalates or heavy metals.



HYGIENE AND CLEANABILITY

Thanks to our unique woven structure that captures dirt particles until the next cleaning round, 2TEC2 flooring solutions actively contribute to a cleaner air in the room. With the ease of cleaning 2TEC2, your personal surroundings will remain spotless and healthy at all times.

EXCELLENT ACOUSTIC PERFORMANCE

Acoustics play an important role in well-being and comfort in a room.

MENTAL WELL-BEING


A beautiful environment makes people happy.

Our floorings contribute to healthy buildings by creating pleasant, creative and comfortable spaces.

SUSTAINABLE DEVELOPMENT GOALS

2TEC2 is committed to contribute to the following United Nations Sustainble Development goals:















Bio-based materials

BIO-BASED MATERIALS IN OUR FLOORS

We are proud to announce a new development since 2023. As part of our pioneering journey we created a bio-based vinyl compound which is used in the top layer of our woven flooring. Thanks to this innovation, the woven top layer of collections with this feature consists of **45% more renewable bio-based content**, meaning this reduces the consumption of virgin fossil materials by 45%.






What are bio-based materials?

Bio-based products are derived from materials of biological origin such as plants, excluding materials coming from geological formations and fossilised materials.

Virgin fossil raw materials are a finite resource, whereas bio-based ones are renewable. The use of bio-based products leads to a reduction of CO₂ emissions, less toxic waste, and a decrease in energy and water consumption during production processes. In short, choosing bio-based materials is a step in the right direction towards a more sustainable future.



Circularity & recyclability

RECYCLED CONTENT

We save the equivalent of 15.000 PET bottles for every 1000 m² flooring. Our current felt underlayer is composed of 70% PET recycled contents. In a continuous process of innovation, we aim to increase this share even more.



RECYCLABILITY

All of 2TEC2 tiles, rolls and planks are 100% recyclable. All materials introduced in our circular production cycle are meticulously quality-checked for composition and performance. 2TEC2 is designed and produced to be fully recycled and to regenerate new 2TEC2 flooring again and again – without losing strength.

WASTE MANAGEMENT

We sort and organise our waste and used materials in all operations to ensure a maximum of recycling possibilities with these resources. Yarn waste, end-of-bobbin yarns, weave excess, cut waste, samples, second-quality tiles and all other leftover materials are carefully collected so they can be sent to our new recycling facility. Leftover yarns are also being re-used to create beautiful outdoor rugs for our sister company Limited Edition.



Our new recycling facility




A FULLY CIRCULAR ECOSYSTEM

Built a few kilometers from our production site, a brand new recycling facility will convert pre-consumer production waste into new raw material that will serve as a basis to compose new, strong and attractive 2TEC2 tiles.

These 2TEC2 tiles will include more than 50% recycled content in total. There will be no change to the visual aspect, stability, performance and durability in this regenerated flooring.





"

As pioneers in this field, we see an exciting challenge in contributing to the preservation of the planet's finite resources.



CIRCULARITY

2TEC2 is designed and produced to regenerate new 2TEC2 flooring again and again.



RECYCLING

All manufacturing waste and 2TEC2 flooring at end of life is being recycled in our own recycling plant.



RE-USE

All 2TEC2 recycled material is being entirely re-used in our production facility. 2TEC2 flooring is manufactured with more than 50% recycled content.

Our journey towards a circular future

2005 LONG-LASTING DURABILITY

From the start, the product was designed to be durable and long-lasting.

2013 REDUCING AND RE-USING PRE-CONSUMER WASTE

Leftover yarns are smartly used in the production of outdoor rugs of our sister company and other products.

2017 INTRODUCING RECYCLED CONTENT

The Acoustic Comfort Backing now contains recycled PET content.



2019 REDUCING OUR CARBON FOOTPRINT

2TEC2 invests in **solar installations** and a **heat recovery system**. We install a fully integrated production cycle to ensure a durable, long-lasting quality, and to drastically improve our ecological footprint and energy consumption.

30

2023 **DESIGN FOR CIRCULARITY**

Investments towards a greener future:

- → R&D and operations adjustments
- → New product design
- → Building our new in-house recycling plant




2023 **REVOLUTIONARY INNOVATION:** ADDING BIO-BASED CONTENT TO OUR **FLOORS**

Pioneering in our type of product, we have launched our floorings with bio-based content in the top layer's woven structure. A major step in our journey to reducing fossil-based materials.

2023 **INCREASING OUR RECYCLED CONTENT**

We introduce SonoFelt™, our new felt underlaying backing, composed of minimum 70% recycled PET and reducing noise by 19dB or more.



A FULLY CIRCULAR FUTURE

We will fully re-use and recycle our floors, production waste and leftover materials into new 2TEC2 tiles or rolls.



HOW DO WE PLAN TO REACH OUR GOAL OF BEING FULLY RECYCLABLE WITH 0% **VIRGIN FOSSIL RAW MATERIAL?**

√ Using bio-based materials √ Using more recycled contents √ Producing a fully recyclable product √ Operating our own recycling facility

Compliance & certifications

PROOF OF EXCELLENCE

2TEC2 understands the importance of providing credible and transparent evidence of our commitments and actions. Our international certification experts are tasked with documenting test results, accurate product performance and composition information. We comply with a series of respectful international certificates and labels, to show the world how much we care about product quality, human health and the environment.





CONTRIBUTING TO HEALTHY AND SAFE BUILDINGS

In order to help you achieve the building certifications schemes LEED and BREEAM, 2TEC2 can contribute credits (up to 16 for BREEAM and 20 for LEED). These credits reflect contributions to impact categories including health and well-being, energy, responsible choice of materials, acoustics, the product's life cycle, environmental impact and waste management. This provides reassurance to our customers that buildings using our flooring solutions are as healthy and non-harmful as possible.

The WELL Building Standard is a vehicle for buildings and organisations to deliver more thoughtful and intentional spaces that enhance human health and comfort. In the categories air, light, sound and materials, 2TEC2 can substantially contribute to the score of your building: we can help you with 2 Preconditions and 10 Optimisations.









OUR CERTIFICATES

We comply with a wide range of health, durability and ecological audits, certifications and labels.














Sector solutions

Workspaces — 37

Hospitality — 43

Healthcare — 49


Public spaces — 53

Retail & showrooms — 59

Residential / Multi-family — **63**

Leisure & gyms — 65







Workspaces

Workspaces should inspire productivity and creativity. Our designer patterns, combined with acoustic backing, castor chair resistance, and durability, promise your boardrooms and open workspaces will look and feel stunning, and stay that way.


Main features

- + Castor chair resistance
- + Acoustic sound absorption
- + Hygienic & easy to clean
- + Fire-retardant
- + Endless design creativity
- + Healthy indoor air quality
- + Long-lasting new appearance
- + Slip-resistant
- + Suitable for raised flooring system
- + Non-permanent floor solution

Chosen by Moët Hennessy, McDonald's, Microsoft, ING, Van Marcke, Volvo Trucks


















Hospitality


Combining the best elements of soft and hard surface flooring, our solutions enhance your hotel's or restaurant's atmosphere and ensure your guests feel right at home.

Main features

- + Design versatility
- + Hygienic & easy to clean
- + Class 33 heavy usage
- + Acoustic sound absorption
- + Slip-resistant
- + Colour fastness
- + Anti-fungi
- + Fire-retardant
- + Healthy indoor air quality
- + Dirt-hiding & stain-resistant

Chosen by Four Seasons Georges V, RIU hotels, JW Marriott, Accor Hotels, Le Sanglier des Ardennes















Healthcare

2TEC2's unlimited product collections offer a selection of colours and designs that will provide comfort to your patients and those caring for them. Mostly, our woven flooring is not only beautiful, but also easy to clean, antibacterial, safe and comfortable: qualities that are essential to any healthcare environment.

Main features


- + Design versatility
- + Hygienic & easy to clean
- + Class 33 heavy usage
- + Acoustic sound absorption
- + Odourless
- + Well-being of patients and visitors
- + Anti-allergic properties
- + Suitable for disinfection
- + Anti-static properties
- + Slip-resistant

Chosen by Sensabell Clinic, Clinica Pof. Luis Jardim, Odontolia, Antwerp Eye Care, Kapittelhof nursing home












Public spaces

Public spaces need flooring that is comfortable and lasting. The durability and maintainability of our woven vinyl allows your flooring to stand the test of time under heavy commercial use. Design a public forum that fits your needs with our endless combinations of striking colours and designs.

Main features

- + Class 33 heavy usage
- + Acoustic sound absorption
- + Hygienic & easy to clean
- + Innovative design
- + Fire-retardant
- + Slip-resistant
- + Healthy indoor air quality
- + Anti-fungi
- + Dirt-hiding & stain-resistant
- + Seamless

Chosen by New York Public Library, Split Airport, UGC cinemas, Library@Harbourfront Singapore, EDHEC Business School
















Retail & showrooms

The use of high-end and durable materials will help you maintain a clean retail space, allowing your floor to continue to shine even after years of heavy use.

Main features

- + Design versatility
- + Class 33 heavy usage
- + Hygienic & easy to clean
- + Acoustic sound absorption
- + Fire-retardant
- + Slip-resistant
- + UV resistance & Colour fastness
- + Suitable for raised flooring systems
- + Non-permanent installation
- + Structure & texture

Chosen by Porsche, Samsung, Mees Van De Wiele, Selfridges, Nishinomiya Gardens, The Hub, Broeinest, The Arq Showroom











Residential & multi-family

Your home should be your oasis, a place of comfort to return to. Easily cleaned, durable, and customisable to fit your space, our flooring is the perfect way to turn a house into a home.

Main features

- + Acoustic sound absorption
- + Easy installation
- + Anti-allergic properties
- + Hygienic & easy to clean
- + Innovative design
- + Fire-retardant
- + Healthy indoor air quality
- + Anti-fungi
- + Anti-static properties
- + Long-lasting fresh appearance







Leisure & gyms

Our boundless selections of beautiful, customisable floorings will elevate your wellness or gym, accentuating the atmosphere you want to display to your visitors.

Main features

- + Hygienic & easy to clean
- + Class 33 heavy usage
- + Acoustic sound absorption
- + Anti-allergic properties
- + Slip-resistant
- + Anti-fungi
- + Suitable for disinfection
- + Underfoot comfort
- + Anti-static properties
- + Long-lasting fresh appearance







Timeless collections

Strata — **72**

Silva — **83**

Marble — 88

Desert — 93

Infinite — 96

Hybrid — **103**

Colourful — 108

Herringbone — 112

Cracked Earth — 113

Barcode — 116

Stripes — 117

Lustre — **118**

Play — **120**



Strata collection



Tiles 50 x 50 cm 19.69" x 19.69"

A †	в↑
в↑	Α↑

Diamond A/B

в↑	Ashla
	A/B
в↑	

STRATA IN TILES

Strata's line motif lives and breathes: with endless variation, the natural pattern creates fascinating markings on the floor.



12



74


Strata tiles installation possibilities

To create the **Strata floor patterns**, you need to **order 50% of the A tiles** with the upward line design and **50% of the B tiles** with the descending line design.

ASHLAR A/B

Create a 100 cm (39.37") wide herringbone pattern by arranging the tiles in opposing directions.






DIAMOND A/B


Create a 100 cm (39.37") wide diamond pattern by arranging the tiles in alternating directions.





100 cm (39.37")





Product Pyrite tiles - Strata collection



Planks 20 x 75 cm 7.87"x 29.53"

B A ↑ A A ↑ A ↑	Random Staggered A/B
A	Random Staggered AA/BB
A A A A A	Random Staggered Mix A/B

STRATA IN PLANKS

Strata's line motif lives and breathes: with endless variation, the natural pattern creates fascinating markings on the floor.




Strata planks installation possibilities

To create the **Strata floor patterns**, you need to **order 50% of the A tiles** with the upward line design and **50% of the B tiles** with the descending line design.

RANDOM STAGGERED A/B

Create a 40 cm (15.75") wide herringbone pattern by arranging the planks in opposing directions.







RANDOM STAGGERED MIX A/B


Create a randomised design.











RANDOM STAGGERED AA/BB

Create a 80 cm (31.50") wide herringbone pattern by arranging the planks in opposing pairs, extending the pattern.



80 cm (31.50")



Silva collection





Herringbone



Random Staggered

SILVA

Silva is the Latin name for 'wood' or 'forest', and this perfectly epitomises this floor covering. With a single step you are transported to beautiful woodlands, where the branches sway to the rhythm of the breeze and create a unique play of shadows.




Meranti

Teak

Ebony



- 84





Marble collection



MARBLE

Eminent, regal, and everlasting. These words come to mind when viewing our Marble collection. This collection is inspired by the crystalline material that has been used to build impressive palace halls and acted as the canvas for breathtaking monuments throughout the ages. Each design features the wild, yet purposeful streaks of colour that are unique to its namesake, echoing the controlled chaos that can only come from nature's own design.





Carrara

Fior





Aliveri

Portoro





Triana

Emperador

 Tiles
 Rolls

 50 x 50 cm
 200 cm wide

 19.69" x 19.69"
 6'7" wide


†	†	
†	1	

Monolithic

†	+	
←	1	


Quarterturn

88





Desert collection



Tiles Rolls 50 x 50 cm 200 cm wide 19.69" x 19.69" 6'7" wide

†	†	
†	†	

Monolithic

†	†	

Quarterturn

DESERT

The Desert collection pays homage to the aweinspiring stretches of arid wasteland that blanket our planet. Though the pattern may appear simple, just like the terrain its named for, each piece is made of a unique and vibrant ecosystem, which creates an impressive, everlasting impression.





Farafra

Antarctic





Hoyos


Karakum





Gobi

Namib




Infinite collection

Tiles Rolls 50 x 50 cm 200 cm wide 19.69" x 19.69" 6'7" wide

Seamless look

INFINITE

Our Infinite collection is inspired by the mysteries beyond our planet. Looking upwards, we sought to bring the beauty and awe of the night sky, and the celestial bodies that inhabit it, down beneath your feet. Named after the cosmic figures of our universe, each of the pieces in this collection expresses limitless power.





Moonless Night

Eclipse

Neptune Black Hole












Hybrid collection



Tiles	Rolls
50 x 50 cm	200 cm wide
1969" v 1969"	6'7" wide

Seamless look


Halley

HYBRID COLLECTION

Galena

Solaris

The Hybrid collection is inspired by the biophilic design philosophy. Biophilia is the inborn need people possess for contact with nature which is essential to their physical and mental health, productivity and well-being. Satisfying this need for contact with nature in the modern built environment is something called biophilic design.





Rosetta





105 -



Colourful collection

Seamless look

ı		
	T	
	l l	

Ashlar



Quarterturn



Brick



creating a complex visual.

COLOURFUL

Our Colourful collection is a complex combination of hues and tints to breathe life into your flooring.

Each of our shades is inspired by powerful forces of nature, vivid expressions of strength, from the bright tail of an asteroid streaking across a midnight sky to the magnificent undulations of the Aurora Borealis, to the flickering ferocity of fire. With a darker base

undertone, each pattern is flecked with lighter shades,







Corona



Fireball











Atmosphere

Zenith

- 108

Zodiac

Quasar

Orbital


Equinox





Aurora





109 -



Herringbone & Cracked earth collection

HERRINGBONE

Herringbone is influenced by the sharp, V-shaped patterns found in the delicate fossils of the marine animals after which this pattern is named. Just like the biological structure it is inspired by, the Herringbone pattern acts as the unyielding, skeletal framework for your room, upon which you can build the rest of your interior design. While using the same colour, the alternating columns in this design give the curious appearance of two distinct shades when viewed from afar.







Oyster Sandstone

Dune







CRACKED EARTH

Cracked Earth tells a story of the earth's resilience to the elements as it weathers the onslaught of passing millennia. Inspired by the arid landscapes on our planet subject to the unforgiving power of volcanic activity, this collection reminds occupants of the unique grandeur that comes with age. The cracked lines featured in this collection are striking and powerful, exhibiting the raw strength of time, and the earth's obstinance against it.

Tiles Rolls 50 x 50 cm 200 cm wide 19.69" x 19.69" 6'7" wide

Seamless look

†	1
†	1

Monolithic




Quarterturn





Barcode, Stripes & Lustre collection



BARCODE

The Barcode collection uses shading and geometric techniques to create an illusion of movement along its surface. Harmonizing both dark and light, this pattern evokes serenity, reflecting the first rays of a rising sun. Looking closely, one can see the barcodes are constructed through asymmetrical, linear weaves which, when stepping back, gives off an illustrious perspective.



Diamond



Quartz

Tiles Rolls 50 x 50 cm 200 cm wide 19.69" x 19.69" 6'7" wide



Quarterturn



Brick

117 -

Tiles Rolls 50 x 50 cm 200 cm wide 19.69" x 19.69" 6'7" wide

†	←	
←	1	

Quarterturn



Brick

STRIPES


Stripes utilises streaks of spirited colour to inject your space with life and excitement. Bright blue or orange lines against a dark base, the streaks of dye are an eye-catching accent piece to match the colour tones that define your room. A combination of thick and thin lines offers a textured appearance to the floor.




Moonless Night Orange



Moonless Night Blue





LUSTRE


The Lustre collection is influenced by the entrancing, crystalline patterns found in the geometric shapes of natural stone formations. Like its name suggests, the Lustre patterns reflect the light within your space to create a gentle, yet eye-catching visual experience that will mesmerise your occupants from the moment they walk through your doors.

 Tiles
 Rolls

 50 x 50 cm
 200 cm wide

 19.69" x 19.69"
 6'7" wide

Seamless look



Brick









Morion Brown


LET YOUR CREATIVITY FLOW


Your floors should mirror the unique personality of your space. Our vast library of shapes, colours, and patterns offers a nearly limitless number of combinations for you to choose from, guaranteeing you will find a solution that perfectly embodies the spirit of your project.


To make your bespoke project a succes, contact our sales team to work out a custom-made floor solution.


















Our Play concept allows you to get creative with various shapes of tiles and planks to create inspiringly expressive floors. Diamonds, hexagons and planks are among some of our suggestions. But in reality, any shape and size is possible. Choose any colour from our collections and let your imagination do the rest!





Square

25 x 25 cm 9.84" x 9.84"



22 x 66 cm 8.66" x 25.98"



Square

100 x 100 cm 39.37" x 39.37"

Plank



Hexagon

50 x 57,70 cm 19.68" x 227.16"



Diamond


65 x 37,50 cm 25.59" x 147.63""



Triangle

 $50 \times 50 \times 70,70 \text{ cm}$ 19.68" x 19.68" x 278.35"

The Play offer is an additional range of shapes, available upon request, next to our standard offer of tiles (50 x 50 cm / 19.68" x 19.68"), planks (20 x 75 cm / 7.87" x 29.53") or rolls (200 cm / 78,74"). Availability depending on the collection.



Rugs

Beautiful textures, inviting spaces — 124

Collection overview — 125

Shapes & sizes — 126



Beautiful textures to create inviting spaces

BEAUTIFUL RUGS TO CREATE ATMOSPHERE

Our woven rugs make for unique centrepieces that can accentuate a neutral space or extend the floor style of another room, without compromising on cleanability and performance. Durable, strong and uniquely beautiful, our woven rugs are the solution to create **extra atmosphere** or **functional zoning** in hospitality, reception areas, office spaces, meeting rooms, showrooms or outdoors.

DIFFERENT SHAPES, MATCHING FINISH

Our rugs come in various shapes and sizes, finished with a border that matches the design and colour of the rug.

Would you rather have something truly unique? Bespoke options are available, ask our sales team to work out a custom-made floor solution with our rugs.



- 124

125 -

ALHAMBRA COLLECTION





Tangerine

Pacific

HYBRID COLLECTION





Helios

Stellar







Lyra

Meteor

Darkside

INFINITE COLLECTION







Juno

Coffee Bean

Planet

MARBLE COLLECTION

LUSTRE COLLECTION





Carrara

Morion Brown



AVAILABLE SHAPES & SIZES









140 x 200 cm 55.12" x 78.74" RI SI 180 x 240 cm 70.87" x 94.49" RI SI OI 200 x 200 cm 78.74" x 78.74" RI SI OI 200 x 250 cm 78.74" x 198.43" RI SI OI 200 x 300 cm 78.74" x 197.80" RI SI OI 200 x 400 cm 78.74" x 157.48" RI SI OI 250 x 250 cm 98.43" x 198.43" RI SI OI 250 x 350 cm 98.43" x 197.80" RI SI OI 250 x 350 cm 98.43" x 197.80" RI SI OI 250 x 350 cm 98.43" x 197.80" RI SI OI 300 x 300 cm 118.11" x 118.11" RI SI OI 300 x 350 cm 118.11" x 157.48" RI SI OI 300 x 400 cm 118.11" x 157.48" RI SI OI 350 x 350 cm 137.80" x 157.48" RI SI OI 400 x 400 cm 157.48" x 157.48" RI SI OI 9200 cm 078.74"	Centimeters	Inches	Rectangle	Stadium	Organic	Circle
200 x 200 cm 78.74" x 78.74" RI SI 200 x 250 cm 78.74" x 98.43" RI SI 200 x 300 cm 78.74" x 118.11" RI SI 200 x 300 cm 78.74" x 137.80" RI SI 200 x 400 cm 78.74" x 157.48" RI SI 250 x 250 cm 98.43" x 18.11" RI SI 250 x 350 cm 98.43" x 118.11" RI SI 250 x 350 cm 98.43" x 118.11" RI SI 250 x 350 cm 98.43" x 118.11" RI SI 250 x 350 cm 98.43" x 137.80" RI SI 250 x 300 cm 118.11" x 118.11" RI SI 300 x 300 cm 118.11" x 118.11" RI SI 300 x 350 cm 118.11" x 137.80" RI SI 300 x 350 cm 137.80" X 137.80" RI SI 350 x 350 cm 137.80" X 137.80" RI SI 350 x 350 cm 137.80" x 157.48" RI SI 350 x 350 cm 137.80" x 157.48" RI SI 350 x 350 cm 137.80" x 157.48" RI SI 350 x 350 cm 157	140 x 200 cm	55.12" x 78.74"	R1	S1		
200 x 250 cm 78.74" x 98.43" RI SI 200 x 300 cm 78.74" x 118.11" RI SI OI 200 x 350 cm 78.74" x 137.80" RI SI OI 200 x 400 cm 78.74" x 157.48" RI SI OI 250 x 250 cm 98.43" x 98.43" RI SI OI 250 x 300 cm 98.43" x 18.11" RI SI OI 250 x 350 cm 98.43" x 137.80" RI SI OI 250 x 400 cm 98.43" x 157.48" RI SI OI 300 x 300 cm 118.11" x 118.11" RI SI OI 300 x 300 cm 118.11" x 137.80" RI SI OI OI 300 x 350 cm 137.80" x 137.80" RI SI OI OI 350 x 350 cm 137.80" x 157.48" RI SI OI OI 400 x 400 cm 157.48" x 157.48" RI SI OI OI 0200 cm 078.74" CI OI OI	180 x 240 cm	70.87" x 94.49"	R1	S1	O1	
200 x 300 cm 78.74" x 118.11" R1 S1 O1 200 x 350 cm 78.74" x 137.80" R1 S1 200 x 400 cm 78.74" x 157.48" R1 S1 O1 250 x 250 cm 98.43" x 98.43" R1 S1 O1 250 x 350 cm 98.43" x 118.11" R1 S1 O1 250 x 350 cm 98.43" x 137.80" R1 S1 O1 250 x 350 cm 98.43" x 137.80" R1 S1 O1 250 x 400 cm 18.11" x 118.11" R1 S1 O1 300 x 300 cm 118.11" x 137.80" R1 S1 O1 300 x 350 cm 137.80" R1 S1 O1 300 x 350 cm 137.80" R1 S1 O1 300 x 400 cm 157.48" R1 S1 O1 350 x 350 cm 137.80" X 157.48" R1 S1 O1 350 x 350 cm 137.80" X 157.48" R1 S1 O1 350 x 350 cm 137.80" X 157.48" R1 S1 O1 350 x 350 cm 137.80" X 157.48" R1 S1 O1 350 x 350 cm 137.80" X 157.48" R1 S1 O1 350 x 350 cm 137.80" X 157.48" R1 S1 O1 350 x 350 cm 137.80" X 157.48" R1 S1 O1 350 x 350 cm 137.80" X 157.48" R1 S1 O1 350 x 350 cm 137.80" X 157.48" R1 S1 O1 350 x 350 cm 137.80" X 157.48" R1 S1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" X 157.48" R1 O1 350 x 350 cm 137.80" X 157.48" X 157.48	200 x 200 cm	78.74" × 78.74"	R1	S1		
200 x 350 cm 78.74" x 137.80" R1 S1 200 x 400 cm 78.74" x 157.48" R1 S1 O1 250 x 250 cm 98.43" x 98.43" R1 S1 O1 250 x 300 cm 98.43" x 118.11" R1 S1 O1 250 x 350 cm 98.43" x 137.80" R1 S1 O1 250 x 400 cm 98.43" x 157.48" R1 S1 O1 250 x 400 cm 118.11" x 118.11" R1 S1 O1 300 x 350 cm 118.11" x 137.80" R1 S1 O1 300 x 350 cm 118.11" x 157.48" R1 S1 O1 300 x 400 cm 137.80" x 137.80" R1 S1 O1 350 x 350 cm 137.80" x 137.80" R1 S1 O1 350 x 400 cm 157.48" R1 C1	200 x 250 cm	78.74" x 98.43"	R1	S1		
200 x 400 cm 78.74" x 157.48" R1 S1 O1 250 x 250 cm 98.43" x 98.43" R1 S1	200 x 300 cm	78.74" x 118.11"	R1	S1	O1	
250 x 250 cm 98.43" x 98.43" Ri • Si • 250 x 300 cm 98.43" x 118.11" Ri • Si • 250 x 350 cm 98.43" x 137.80" Ri • Si • 250 x 400 cm 98.43" x 157.48" Ri • Si • 300 x 300 cm 118.11" x 118.11" Ri • Si • 300 x 350 cm 118.11" x 137.80" Ri • Si • Oi • 300 x 400 cm 137.80" x 137.80" Ri • Si • Oi • 350 x 350 cm 137.80" Ri • Si • Oi • 350 x 350 cm 137.80" x 137.80" Ri • Si • Oi • 360 x 350 cm 157.48" Ri • Si • Oi • 370 x 400 cm 157.48" Ri • Si • Oi • 370 x 400 cm 157.48" Ri • Si • Ci • 370 x 400 cm 157.48" Ri • Si • Ci • 370 x 400 cm 157.48" Ri • Si • Ci • 370 x 400 cm 157.48" Ri • Si • Ci • 370 x 400 cm 157.48" Ri • Si • Ci • 370 x 400 cm 157.48" Ri • Si • Ci • Ci • Ci • Ci • Ci • Ci • C	200 x 350 cm	78.74" x 137.80"	R1	S1		
250 x 300 cm 98.43" x 118.11" R1 • S1 • O1 • 250 x 350 cm 98.43" x 137.80" R1 • S1 • O1 • 250 x 400 cm 98.43" x 157.48" R1 • S1 • 300 x 300 cm 118.11" x 118.11" R1 • S1 • 300 x 350 cm 118.11" x 137.80" R1 • S1 • O1 • 300 x 400 cm 118.11" x 157.48" R1 • S1 • O1 • 350 x 350 cm 137.80" x 137.80" R1 • S1 • O1 • 350 x 350 cm 137.80" x 137.80" R1 • S1 • O1 • 350 x 400 cm 137.80" x 157.48" R1 • S1 • 400 x 400 cm 157.48" x 157.48" R1 • S1 • 250 cm Ø 98.43" C1 • Ø 350 cm Ø 118.11" C1 • Ø 350 cm Ø 137.80" Ø 137.80" C1 •	200 x 400 cm	78.74" x 157.48"	R1	S1	O1	
250 x 350 cm 98.43" x 137.80" R1 • S1 • O1 • 250 x 400 cm 98.43" x 157.48" R1 • S1 • 300 x 300 cm 118.11" x 118.11" R1 • S1 • 300 x 350 cm 118.11" x 137.80" R1 • S1 • O1 • 300 x 400 cm 118.11" x 157.48" R1 • S1 • O1 • 350 x 350 cm 137.80" x 137.80" R1 • S1 • 350 x 400 cm 137.80" x 157.48" R1 • S1 • 400 x 400 cm 157.48" R1 • S1 • 250 cm Ø 98.43" C1 • Ø 350 cm Ø 118.11" C1 • Ø 350 cm Ø 137.80" Ø 118.11" C1 •	250 x 250 cm	98.43" x 98.43"	R1 •	S1 •		
250 x 400 cm 98.43" x 157.48" R1 S1 S1 S1 S1 S1 S1 S1 S1 S1	250 x 300 cm	98.43" x 118.11"	R1 •	S1 •		
300 x 300 cm 118.11" x 118.11" R1 • S1 • O1 • O1 • O1 • O1 • O1 • O1 • O	250 x 350 cm	98.43" x 137.80"	R1 •	S1 [●]	O1 •	
300 x 350 cm 118.11" x 137.80" R1	250 x 400 cm	98.43" x 157.48"	R1 •	S1 [●]		
300 x 400 cm 118.11" x 157.48" R1 • S1 • O1 • 350 x 350 cm 137.80" x 137.80" R1 • S1 • 350 x 400 cm 137.80" x 157.48" R1 • S1 • 400 x 400 cm 157.48" x 157.48" R1 • S1 • Ø 200 cm Ø 78.74" C1 Ø 250 cm Ø 98.43" C1 • Ø 350 cm Ø 137.80" C1 •	300 x 300 cm	118.11" x 118.11"	R1 •	S1 •		
350 x 350 cm 137.80" x 137.80" R1 • S1 • 350 x 400 cm 137.80" x 157.48" R1 • S1 • 400 x 400 cm 157.48" x 157.48" R1 • S1 • Ø 200 cm Ø 78.74" C1 Ø 250 cm Ø 98.43" C1 • Ø 350 cm Ø 137.80" C1 •	300 x 350 cm	118.11" x 137.80"	R1 •	S1 [●]	O1 •	
350 x 400 cm 137.80" x 157.48" R1 • S1 • 400 x 400 cm 157.48" x 157.48" R1 • S1 • Ø 200 cm Ø 78.74" C1 Ø 250 cm Ø 98.43" C1 • Ø 300 cm Ø 118.11" C1 •	300 x 400 cm	118.11" x 157.48"	R1 •	S1 •	O1 •	
400 x 400 cm 157.48" x 157.48" R1 • S1 • Ø 200 cm Ø 78.74" C1 Ø 250 cm Ø 98.43" C1 • Ø 300 cm Ø 118.11" C1 • Ø 350 cm Ø 137.80" C1 •	350 x 350 cm	137.80" x 137.80"	R1 •	S1 •		
Ø 200 cm Ø 78.74" C1 Ø 250 cm Ø 98.43" C1 ● Ø 300 cm Ø 118.11" C1 ● Ø 350 cm Ø 137.80" C1 ●	350 x 400 cm	137.80" x 157.48"	R1 •	S1 •		
Ø 250 cm Ø 98.43" C1 ● Ø 300 cm Ø 118.11" C1 ● Ø 350 cm Ø 137.80" C1 ●	400 x 400 cm	157.48" x 157.48"	R1 •	S1 •		
Ø 300 cm Ø 118.11" C1 ● Ø 350 cm Ø 137.80" C1 ●	Ø 200 cm	Ø 78.74"				C1
Ø 350 cm Ø 137.80" C1 ●	Ø 250 cm	Ø 98.43"				C1 •
	Ø 300 cm	Ø 118.11"				C1 •
Ø 400 cm Ø 157.48" C1 •	Ø 350 cm	Ø 137.80"				C1 •
	Ø 400 cm	Ø 157.48"				C1 •


[•]With stitched seam (barely visible)



Custom rug sizes, shapes, product colours and finishes are available on demand and have an additional surcharge. Contact our sales team sales@2tec2.com.

- 126





Installation & technical info

Installation — 130

Technical info — 132



Installation & technical info

ADHESIVES

Rolls are to be placed with a permanent adhesive, while tiles are to be placed with a non-permanent one.



USE AND RE-USE

Tiles installed with tackifier are easy to remove and replace if you wish to update your interior or to reuse them in another location.

THE FINISHING TOUCH

We recommend to install your 2TEC2 floors as the final step in your construction or renovation project to protect our beautiful patterns from dust, paint or indents.

READY-TO-USE

You can immediately walk on 2TEC2 and furnish your room after the installation, no need to wait.

A VERSATILE FLOORING SOLUTION

2TEC2 can be installed on different types of evenly levelled subfloors: cement-based floors, stone floors, even LVT or hardboard floors can be assessed fit for 2TEC2 installation. Just make sure the underfloor is clean, dry and completely even levelled, and you will get a perfect result.

A professional installer will ensure that the beautiful texture of 2TEC2 comes to life in your room. Feel free to reach out to our network of installers or make sure to consult our installation instructions. 2TEC2 is always at your disposal to provide additional technical support.





Classes	Woven jacquard top layer	Acoustics
Class 1	900g/m² - 25.54 oz/yd²	ا ا SonoFelt™ 19dB

Technical data 19dB

	Composition	83% vinyl 7% fiberglass 10% PET	K Z	Dimensional stability EN 986 - ISO 2551	Meets the requirements
	Recycled Content	Yes		Fungal growth EN 14119-A2	No Growth, Grade 0
	Acoustical layer	70% recycled content		Foot traffic test ASTM D6119-12	Heavy traffic
	Backing	Vinyl + Felt	F	Antistatic ISO 6356 AATCC 134-2006	< 2 kV Permanently antistatic
· ×	Total thickness ISO 1765	4,6 mm - 0.18"	_ %	Slip resistance EN 13893	≥ds
(کی	Total weight ISO 8543	3200 g/m² - 94.38 oz/yd²	DS DS	ASTM C1028-07 DIN 51130 EN 13036-4	0,85 R9 65
	Roll width EN ISO 24341	ca. 200 cm - ca. 6'7"		Impact sound reduction ISO 10140	19 dB
	Roll length EN ISO 24341	ca. 30 m - 32.8 yd		Acoustical absorption ISO 354	a _w = 0,15
	Plank size (20 pcs per box)	20 x 75 cm - 7.87" x 29.53"		Walking noise reduction EPLF 021029-3	70%
	Tile size (16 pcs per box) EN 994	50 cm x 50 cm - 19.69" x 19.69"		Castor chair suitability EN 985	Continuous use
	Resistance to fraying EN ISO 10833	Pass	\$	Light fastness ISO 105-B02	8
	Level of Use EN 1307 ASTM D5252	Class 33 Heavy commercial use	R ₂₃	Thermal resistance ISO 8302	Suitable for underfloor heating
B _{ff} -S1	Reaction to fire EN 13501-1 ASTM E84	B _f -s1 Arating	Е1	EN 717-1	E1
	Critical radiant flux ASTM E648 NFPA	0,84 W/cm ² Class I		Warranty	15 years* *Terms and conditions are available on request
	Smoke density ASTM E662	<300	CE	CE Certificate EN 14041	0493-CPR-0151
			UK	UK-CA	8515-CPR-0151

Environment & indoor air quality



















Classes	Woven jacquard top layer	Woven jacquard top layer		
Class 2*	900g/m² - 25.54 oz/yd² 45 % Bio-based carbon	Bio-Based	•I I SonoFelt™ 19dB	

^{*}Bio-based: Strata collection (2023)

Technical data 19dB Bio-based

Composition	83% vinyl 7% fiberglass 10% PET	K N L V	Dimensional stability EN 986 - ISO 2551	Meets the requirements
Recycled Content	Yes		Fungal growth EN 14119-A2	No Growth, Grade 0
Acoustical layer	70% recycled content		Foot traffic test ASTM D6119-12	Heavy traffic
Backing	Vinyl + Felt	B	Antistatic ISO 6356 AATCC 134-2006	< 2 kV Permanently antistatic
Total thickness ISO 1765	4,6 mm - 0.18"	- (%)	Slip resistance EN 13893	≥ds
Total weight ISO 8543	3200 g/m² - 94.38 oz/yd²	DS	DIN 51130 EN 13036-4	0,85 R9 65
Roll width EN ISO 24341	ca. 200 cm - ca. 6'7"		Impact sound reduction ISO 10140	19 dB
Roll length EN ISO 24341	ca. 30 m - 32.8 yd		Acoustical absorption ISO 354	a _w = 0,15
Plank size (20 pcs per box)	20 x 75 cm - 7.87" x 29.53"		Walking noise reduction EPLF 021029-3	70%
Tile size (16 pcs per box) EN 994	50 cm x 50 cm - 19.69" x 19.69"		Castor chair suitability EN 985	Continuous use
Resistance to fraying EN ISO 10833	Pass	P	Light fastness ISO 105-B02	8
Level of Use EN 1307 ASTM D5252	Class 33 Heavy commercial use	R ₂₃	Thermal resistance ISO 8302	Suitable for underfloor heating
Reaction to fire EN 13501-1 ASTM E84	B _f -s1 A rating	° Е1	EN 717-1	E1
Critical radiant flux ASTM E648 NFPA	0,84 W/cm² Class I		Warranty	15 years* *Terms and conditions are available on request
Smoke density ASTM E662	< 300	CE	CE Certificate EN 14041	0493-CPR-0151
		UK	UK-CA	8515-CPR-0151
	Recycled Content Acoustical layer Backing Total thickness ISO 1765 Total weight ISO 8543 Roll width EN ISO 24341 Roll length EN ISO 24341 Plank size (20 pcs per box) Tile size (16 pcs per box) EN 994 Resistance to fraying EN ISO 10833 Level of Use EN 1307 ASTM D5252 Reaction to fire EN 13501-1 ASTM E84 Critical radiant flux ASTM E648 NFPA Smoke density	Composition 7% fiberglass 10% PET Recycled Content Yes Acoustical layer 70% recycled content Backing Vinyl + Felt Total thickness ISO 1765 4,6 mm - 0.18" Total weight ISO 8543 3200 g/m² - 94.38 oz/yd² Roll width EN ISO 24341 ca. 200 cm - ca. 6'7" Roll length EN ISO 24341 ca. 30 m - 32.8 yd Plank size (20 pcs per box) EN 994 20 x 75 cm - 7.87" x 29.53" Tile size (16 pcs per box) EN 994 50 cm x 50 cm - 19.69" x 19.69" Resistance to fraying EN ISO 10833 Pass Level of Use EN 1307 ASTM D5252 Class 33 Heavy commercial use Reaction to fire EN 13501-1 ASTM E84 Arating A rating Critical radiant flux ASTM E648 NFPA Class I 0,84 W/cm² Class I Smoke density 200	Recycled Content Yes Acoustical layer 70% recycled content Backing Vinyl + Felt Total thickness ISO 1765 4,6 mm - 0.18" Total weight ISO 8543 3200 g/m² - 94.38 oz/yd² Roll width EN ISO 24341 ca. 200 cm - ca. 6'7" Roll length EN ISO 24341 ca. 30 m - 32.8 yd Plank size (20 pcs per box) EN 994 Resistance to fraying EN ISO 10833 Pass Level of Use EN 1307 ASTM D5252 Reaction to fire EN 1350-1-1 ASTM E84 Critical radiant flux ASTM E648 NFPA Recoustical radiant flux ASTM E648 NFPA Colass I	Composition 7% fiberglass 10% PET Recycled Content Yes Fungal growth EN 14t19-A2 Foot traffic test ASTM Deftig-12 Acoustical layer 70% recycled content Foot traffic test ASTM Deftig-12 Antistatic ISO 6356 AATCC 134-2006 Slip resistance EN 13893 ASTM C1028-07 DIN 51130 EN 13036-4 Foll width EN ISO 24341 ca. 200 cm - ca. 6'7" Roll length EN ISO 24341 ca. 30 m - 32.8 yd Plank size (20 pcs per box) EN 994 Plank size (20 pcs per box) EN 994 Foot traffic test ASTM Deftig-12 Antistatic ISO 6356 AATCC 134-2006 Slip resistance EN 13893 ASTM C1028-07 DIN 51130 EN 13036-4 Impact sound reduction ISO 10140 IsO 354 Acoustical absorption ISO 354 Walking noise reduction EPLF 021029-3 Walking noise reduction EPLF 021029-3 Tile size (16 pcs per box) EN 994 Foo cm x 50 cm - 19.69" x 19.69" Castor chair suitability EN 985 Light fastness ISO 105-B02 Level of Use EN 1307 ASTM D5252 Heavy commercial use Reaction to fire EN 13501-1 ASTM E648 O,84 W/cm² Class I Smoke density ASTM E662 ACC EE Certificate EN 14041 LIK

Environment & indoor air quality




















Samples & tools

Room visualiser & samples — 136

Limited Edition — 137



3D ROOM VISUALISER

With our state-of-the-art digital simulator, you can try out several of our floor coverings in a range of interiors. This will help you in your choice of product, installation pattern and colour. Let's determine the best match for your space.

Not fully sure what you are looking for? Try our "Be Original" option, which presents original designs that will surely help your creativity flow.

Be inspired on simulation.2tec2.com



SAMPLE SERVICE

Feel free to order samples of your favourite products. This way, you can see and feel our flooring solutions in real life, giving you a clearer idea of what to expect. The size of our samples is $20 \text{ cm} \times 20 \text{ cm} (7.87^{\circ} \times 7.87^{\circ})$.

Call us or order through our website. You can also apply for samples on various platforms such as Material Bank.

Be inspired, order our samples on 2tec2.com





Client TBC Product TBC Installation pattern TBC

LIMITED EDITION

If you wish to use tufted or woven rugs for your project, 2TEC2's sister company Limited Edition is the perfect solution for this. Limited Edition was founded by Katia Dewitte as well, in 1991. Since then, the company has been devoted to creating luxurious, custom-made rugs for the residential and commercial market.

Be inspired on le.be



